



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2011010305470730

NAME AND ADDRESS OF THE APPLICANT

Steute Technologies GmbH & Co. KG
Brueckenstrasse 91, 32584 Loehne, Germany

NAME AND ADDRESS OF THE MANUFACTURER

Steute Technologies GmbH & Co. KG
Brueckenstrasse 91, 32584 Loehne, Germany

NAME AND ADDRESS OF THE FACTORY

Steute Technologies GmbH & Co. KG
Brueckenstrasse 91, 32584 Loehne, Germany

PRODUCT NAME, MODEL AND SPECIFICATION

pull wire switch

ZS 80..., Ex ZS 80...: Ui :250V;Uimp :2.5kV;AC-15:U e // e :AC250V/2A;Ith :2A;IP67;

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C03-02:2014).

Valid from: Apr.28,2019

Valid until: May.06,2021

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.06,2011

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号: 2011010305470730

委托人名称、地址

Steute Technologies GmbH & Co. KG
Brueckenstrasse 91, 32584 Loehne, Germany

生产者(制造商)名称、地址

Steute Technologies GmbH & Co. KG
Brueckenstrasse 91, 32584 Loehne, Germany

生产企业名称、地址

Steute Technologies GmbH & Co. KG
Brueckenstrasse 91, 32584 Loehne, Germany

产品名称和系列、规格、型号

拉线开关

ZS 80..., Ex ZS 80...: Ui:250V;Uimp:2.5kV;AC-15:Ue/le:AC250V/2A;Ith:2A;外壳防护等级:IP67; 型号解释见附件

产品标准和技术要求

GB/T14048.5-2017

上述产品符合强制性产品认证实施规则 CNCA-C03-02:2014 的要求, 特发此证。

发证日期: 2019年04月28日 有效期至: 2021年05月06日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2011年05月06日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2011010305470730

纸 号: 2298387

型号解释:

ZS	80	S	INC/INO
I	II	III	IV

I. Basic Type: 基本类型

-ZS / snap action; 瞬动

-Ex ZS / For sale in North China 北方极端环境

II. Type of Position Switch: 位置开关型号

-80: Product Series Pull-wire-Switch No.80 产品系列号 80

III. Actuator Type 动作头类型

-Blank (Basic Type) 无 (基本型号)

-S (two side actuation) 两侧操动

-SR (belt alignment switch) 跑偏开关

IV. Contact Type

-1Ö / 1S(x) 1NC / 1NO (1 normal closed _ 1 normal open) 1 常闭 / 1 常开

-2Ö / 2S(x) 2NC / 2NO (2 normal closed _ 2 normal open) 2 常闭 / 2 常开

-3Ö / 1S(x) 3NC / 1NO (3 normal closed _ 1 normal open) 3 常闭 / 1 常开

-4Ö 4NC (4 Normal closed) 4 常闭

(x):

WVD watertight collar, push button release 带密封圈, 按钮释放

VD push button release 按钮释放

VS key release 钥匙释放

WVD watertight collar, push button release* (IP65) 带密封圈, 按钮释放

WVS watertight collar, key release 带密封圈, 钥匙释放

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心